













COSHH Assessment for Dulux Gloss Paint Oil Based

Substance / material | Dulux Gloss Paint Oil Based

Suppliers address and phone number | ICI Paints AkzoNobel, Wexham Road, Slough, Berkshire, SL2 5DS. +44 (0) 1753 550000 +44 (0) 1753 550000

Contents / ingredients of product	NAPHTHA (PETROLEUM), HYDROTREATED HEAVY NAPHTHA (PETROLEUM), HYDROTREATED HEAVY CALCIUM CARBOXYLATE NAPHTHA (PETROLEUM), HYDRODESULFURIZED HEAVY ETHYL METHYL KETOXIME				Is there a work exposure limit	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	Duration			
	Where the product's used	Outside	<input checked="" type="checkbox"/>	Inside well ventilated		<input checked="" type="checkbox"/>	Inside poorly ventilated	<input checked="" type="checkbox"/>	Confined space		<input checked="" type="checkbox"/>		
How the products used	Mixing	<input checked="" type="checkbox"/>	Pouring	<input checked="" type="checkbox"/>	Spraying	<input type="checkbox"/>	Brushing	<input checked="" type="checkbox"/>	Applying by hand / hand tools	<input type="checkbox"/>	Loading out	<input type="checkbox"/>	
Product hazard levels	High	<input type="checkbox"/>	Medium	<input type="checkbox"/>	Low	<input checked="" type="checkbox"/>	Product state	Solid	<input type="checkbox"/>	Liquid	<input checked="" type="checkbox"/>	Gas	<input type="checkbox"/>

Flammable	Oxidising	Gas under pressure	Explosive	Very toxic	Corrosive	Serious health hazard	Health hazard/irritant	Danger to environment
								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PPE	Gloves	Glasses	Goggles	Face shield	Footwear	PPE Clothes	Dust mask	FFP2 mask	FFP3 mask	Respirator	Noise
											
Outside	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside well ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside poorly ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Confined space

Is the substance hazardous to health when:

Breathed in

Swallowed

In contact with skin

In contact with eyes

Other. Please specify

Health risks: May irritate respiratory system and eyes. Splashes to eyes may cause irritation and damage.

Skin contact: Repeated exposure may cause skin dryness or cracking.

Eye contact: Over-exposures of vapour are irritating to eyes. Splashes entering the eye will cause discomfort and possible damage.

Ingestion: May cause irritation, nausea and vomiting.

Inhalation: Over-exposures of vapour are irritating respiratory system.

First aid and emergency measures:



Emergency services



First aider



First aid box



Shower



Eye wash



Wash affected area



Boot wash

First aid details:

In all cases of doubt, or where symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped administer artificial respiration. Give nothing by mouth. If unconscious place in the recovery position. Seek medical advice.

EYE CONTACT: Remove contact lenses. Irrigate copiously with clean, fresh water for at least 10 minutes, holding lids apart. Seek medical advice.

SKIN CONTACT: Remove contaminated clothing, wash skin thoroughly with soap and water, or use a proprietary skin cleanser. Do not use solvents or thinners. Seek medical advice if symptoms persist.

INGESTION: If accidentally swallowed, DO NOT INDUCE VOMITING. Keep at rest and obtain medical attention.

Spillage and environmental:

Mobility: Store in an upright position and ensure container is tightly closed.

Do not use or store by hanging on a hook.

Always keep in containers made of the same material as the supply container, or in containers that are compatible with the product. The accumulation of contaminated rags may result in spontaneous combustion. Good housekeeping standards and regular safe removal of waste materials will minimise the risks of spontaneous combustion and other fire hazards.


Accidental release: Do not discharge into drains or rivers. Contain the spillage using bunding then, absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

Avoid breathing vapours.

Clean residue with a detergent; avoid use of solvents.



Water



Carbon Dioxide



Dry powder



Foam



Fire blanket



Raise alarm



Fire details:

Extinguishing media: Recommended - Foam, CO2 or Dry Powder.

Not to be used – water jet.

Recommendations: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Fire fighters should wear self-contained breathing apparatus.

Closed containers exposed to fire should be cooled with water. Do not allow run-off from fire-fighting to enter drains or water-courses.

Document author:

Alison Meredith

Signed:

Alison Meredith

Date:

15.03.2022