

COSHH Assessment Ronseal Varnish for Wood

Substance / material RONSEAL TRADE QUICK DRY INTERIOR VARNISH

Suppliers address and phone number Sherwin Williams Diversified Brands Limited, Thorncliffe Park, Chapelton, Sheffield, S35 2YP. Tel: 0114 246 7171

Contents / ingredients of product Propylene Glycol.
No significant hazards.

Is there a work exposure limit Yes No

Duration 8 Hrs

Where the product's used Outside Inside well ventilated Inside poorly ventilated Confined space

How the products used Mixing Pouring Spraying Brushing Applying by hand / hand tools Loading out

Product hazard levels High Medium Low

Product state Solid Liquid Gas

Flammable



Oxidising



Gas under pressure



Explosive



Very toxic



Corrosive



Serious health hazard



Health hazard/irritant



Danger to environment



PPE

Gloves



Glasses



Goggles



Face shield



Footwear



PPE Clothes



Dust mask



FFP2 mask



FFP3 mask



Respirator



Noise



Outside	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside well ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside poorly ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Confined space	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Is the substance hazardous to health when:

Breathed in Swallowed In contact with skin In contact with eyes Other. Please specify

Health risks: May irritate respiratory system and eyes. Splashes to eyes may cause irritation and damage.

Skin contact: Repeated exposure may cause skin dryness or cracking.

Eye contact: Over-exposures of vapour are irritating to eyes. Splashes entering the eye will cause discomfort and possible damage.

Ingestion: May cause irritation, nausea and vomiting.

Inhalation: Over-exposures of vapour are irritating respiratory system.

First aid and emergency measures:



Emergency services



First aider



First aid box



Shower



Eye wash



Wash affected area



Boot wash

First aid details:

General: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.

Eye contact: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

Inhalation: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Skin contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

Ingestion: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

Spillage and environmental:

Mobility: Store in an upright position and ensure container is tightly closed.


Accidental release: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Preferably clean with a detergent. Avoid using solvents.

Do not allow to enter drains or watercourses.



Water



Carbon Dioxide



Dry powder



Foam



Fire blanket



Raise alarm

Fire details:

Recommended: alcohol-resistant foam, carbon dioxide, powders.

Not to be used – water jet.

Document author:

Alison Meredith

Signed:

Alison Meredith

Date:

17.03.22