












COSHH Assessment for Dulux Vinyl Trade Matt Emulsion

Substance / material	Trade Vinyl Matt													
Suppliers address and phone number	ICI Paints AkzoNobel, Wexham Road, Slough, Berkshire, SL2 5DS. +44 (0) 1753 550000 +44 (0) 1753 550000													
Contents / ingredients of product	Naphtha (Petroleum), Hydrotreated Heavy 1-2.55%				Is there a work exposure limit		Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	Duration	8 Hrs		
Where the product's used	Outside	<input checked="" type="checkbox"/>	Inside well ventilated		<input checked="" type="checkbox"/>	Inside poorly ventilated		<input checked="" type="checkbox"/>	Confined space		<input checked="" type="checkbox"/>			
How the products used	Mixing	<input checked="" type="checkbox"/>	Pouring	<input checked="" type="checkbox"/>	Spraying	<input type="checkbox"/>	Brushing	<input checked="" type="checkbox"/>	Applying by hand / hand tools		<input type="checkbox"/>	Loading out	<input type="checkbox"/>	
Product hazard levels	High	<input type="checkbox"/>	Medium	<input type="checkbox"/>	Low	<input checked="" type="checkbox"/>	Product state		Solid	<input type="checkbox"/>	Liquid	<input checked="" type="checkbox"/>	Gas	<input type="checkbox"/>

Flammable	Oxidising	Gas under pressure	Explosive	Very toxic	Corrosive	Serious health hazard	Health hazard/irritant	Danger to environment
								
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PPE											
Outside	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside well ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside poorly ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Confined space	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Is the substance hazardous to health when:

Breathed in Swallowed In contact with skin In contact with eyes Other. Please specify

Health risks: May irritate respiratory system and eyes. Splashes to eyes may cause irritation and damage.

Skin contact: Repeated exposure may cause skin dryness or cracking.

Eye contact: Over-exposures of vapour are irritating to eyes. Splashes entering the eye will cause discomfort and possible damage.

Ingestion: May cause irritation, nausea and vomiting.

Inhalation: Over-exposures of vapour are irritating respiratory system.

First aid and emergency measures:



Emergency services



First aider



First aid box



Shower



Eye wash



Wash affected area



Boot wash



First aid details:

After significant accidental inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Keep casualty in a safe environment where there is fresh air. Seek medical attention if casualty doesn't make a fast recovery.

After contact with eyes: Do not rub eyes, as additional cornea damage is possible by mechanical stress. Remove any contact lenses and open the eyelid(s) widely to flush eye(s) immediately by thoroughly rinsing with plenty of clean water for at least 20 minutes. If possible, use isotonic water (0.9% NaCl). Contact a specialist of occupational medicine or an eye specialist.

After skin contact: Remove contaminated clothing, wash skin thoroughly with soap and water, or use a proprietary skin cleanser. Do not use solvents or thinners. Seek medical advice if symptoms persist.

After significant accidental ingestion: If accidentally swallowed, Do not induce vomiting. Wash out mouth with water. Keep at rest and obtain medical attention.

Spillage and environmental:

Mobility: Store in an upright position and ensure container is tightly closed.


Accidental release: Do not discharge into drains or rivers. Contain the spillage using bunding then, absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

Avoid breathing vapours.

Clean residue with a detergent; avoid use of solvents.



Water



Carbon Dioxide



Dry powder



Foam



Fire blanket



Raise alarm



Fire details:

Extinguishing media: Recommended - Foam, CO2 or Dry Powder.

Not to be used – water jet.

Recommendations: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Fire fighters should wear self-contained breathing apparatus.

Closed containers exposed to fire should be cooled with water. Do not allow run-off from fire-fighting to enter drains or water-courses.

Document author:

Signed:

Date:

Alison Meredith

Alison Meredith

01.03.22