

COSHH Assessment Tetrion Wood Filler

Substance / material | Tetrion Wood Filler

Suppliers address and phone number | TETROSYL LIMITED Bury Lancashire England BL9 7NY. Tel: 0161 764 5981

Contents / ingredients of product	CALCIUM CARBONATE, STYRENE, TITANIUM DIOXIDE, ISOPENTANE, BUTYL GLYCOL, 1-METHOXY-2-PROPANOL, 2-METHOXY-1-METHYLETHYL ACETATE, HYDROQUINONE, BUTYLATED HYDROXYTOLUENE	Is there a work exposure limit	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	Duration	8 hrs (Inhalable dust)

Where the product's used	Outside	<input checked="" type="checkbox"/>	Inside well ventilated	<input checked="" type="checkbox"/>	Inside poorly ventilated	<input checked="" type="checkbox"/>	Confined space	<input checked="" type="checkbox"/>					
How the products used	Mixing	<input checked="" type="checkbox"/>	Pouring	<input type="checkbox"/>	Spraying	<input type="checkbox"/>	Brushing	<input type="checkbox"/>	Applying by hand / hand tools	<input checked="" type="checkbox"/>	Loading out	<input type="checkbox"/>	
Product hazard levels	High	<input checked="" type="checkbox"/>	Medium	<input type="checkbox"/>	Low	<input type="checkbox"/>	Product state	Solid	<input type="checkbox"/>	Liquid	<input checked="" type="checkbox"/>	Gas	<input type="checkbox"/>

Flammable



Oxidising



Gas under pressure



Explosive



Very toxic



Corrosive



Serious health hazard



Health hazard/irritant



Danger to environment



PPE

Gloves



Glasses



Goggles



Face shield



Footwear



PPE Clothes



Dust mask



FFP2 mask



FFP3 mask



Respirator



Noise



Outside	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside well ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inside poorly ventilated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Confined space	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Is the substance hazardous to health when:

Breathed in Swallowed In contact with skin In contact with eyes Other. Please specify

General information

Extremely flammable gas.

Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

Harmful if inhaled.

Suspected of damaging the unborn child.

Causes damage to organs (Hearing organs) through prolonged or repeated exposure

The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation: In case of overexposure, organic solvents may depress the central nervous system causing dizziness and intoxication, and at very high concentrations unconsciousness and death. Vapours may cause headache, fatigue, dizziness and nausea. Vapours in high concentrations are anaesthetic. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Central nervous system depression.

Ingestion: May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication. May cause chemical burns in mouth and throat. Central nervous system depression. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.

Skin contact: Prolonged contact may cause redness, irritation and dry skin. Eye contact Irritation, burning, lachrymation, blurred vision after liquid splash.

First aid and emergency measures:



Emergency services



First aider



First aid box



Shower



Eye wash



Wash affected area



Boot wash



First aid details:

General information: Remove affected person from source of contamination. Effects may be delayed. Keep affected person under observation. Get medical attention. Move affected person to fresh air at once. Keep affected person away from heat, sparks and flames. If breathing stops, provide artificial respiration. Place unconscious person on the side in the recovery position and ensure breathing can take place.

Inhalation: Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Keep affected person under observation. Get medical attention. Show this Safety Data Sheet to the medical personnel. Place unconscious person on their side in the recovery position and ensure breathing can take place. If breathing stops, provide artificial respiration.

Ingestion: Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Never give anything by mouth to an unconscious person. Keep affected person away from heat, sparks and flames. Place unconscious person on their side in the recovery position and ensure breathing can take place.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Use suitable lotion to moisturise skin. Get medical attention promptly if symptoms occur after washing. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Do not rub eye. Get medical attention if any discomfort continues.

Spillage and environmental:

Do not discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses. Avoid discharge to the aquatic environment.

Stop leak if possible without risk. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Cover large spillages with alcohol resistant foam



Water



Carbon Dioxide



Dry powder



Foam



Fire blanket



Raise alarm

Fire details:

No special measures required.

Use fire extinguishing methods suitable to surrounding conditions.

Document author:

Alison Meredith

Signed:

Alison Meredith

Date:

16.03.22